

IMPLEMENTING INFORMATION TECHNOLOGY TOOLS IN THE CLINICAL MANAGEMENT AND MONITORING OF CHRONIC DISEASE PATIENTS

ISSN (E): 2938-3811

1 Khodjieva Gulirano Sayfullaevna, 1PhD., Bukhara State Medical University, Uzbekistan E-mail: khodjieva gulirano@bsmi.uz

Abstract

The purpose of the research: This study evaluates the effectiveness of digital health technologies in early detection and ongoing monitoring of patients with chronic non-communicable diseases (NCDs) such as diabetes, cardiovascular pathologies, and bronchial asthma. The aim is to assess how digital tools improve self-control, clinical outcomes, and patient satisfaction.

Research methods: A prospective observational study of 300 patients, divided into intervention and control groups, was conducted using mobile apps, smart devices, video consultations, and cloud storage. Data were analyzed using SPSS, applying Chi-square, ANOVA, and logistic regression.

Research results: Significant improvement was observed in clinical indicators like HbA1c and BP levels, hospitalization rates, therapy adherence, and patient satisfaction in the intervention group compared to the control group over 12 months.

Practical application: This approach can be integrated into national health systems to scale chronic disease management, especially in remote and resource-limited regions of Uzbekistan. The aim of the study was to evaluate the effectiveness of digital health technologies in the early detection and ongoing monitoring of patients with chronic non-communicable diseases (NCDs), including diabetes mellitus, cardiovascular pathologies, and bronchial asthma. The research was based on a combined clinical and technological approach, using telemonitoring systems, mobile applications, and cloud-based databases.

Keywords: Digital health, information technologies, screening, NCDs, telemedicine, patient monitoring, chronic disease, information technologies, chronic diseases, screening, dynamic monitoring, digital health, telemedicine, medical applications.

Introduction

Chronic non-communicable diseases (NCDs) such as diabetes, hypertension, and chronic respiratory diseases are the leading cause of morbidity and mortality worldwide. Early detection and dynamic monitoring of these conditions are crucial for improving outcomes and reducing healthcare costs[1,3,7].





Information technologies (IT) have opened new avenues for efficient and scalable patient management[6,8,9,10].

ISSN (E): 2938-3811

The hypothesis of this study posits that the integration of IT solutions can enhance screening and follow-up efficiency in patients with NCDs through improved self-monitoring, timely data transmission, and provider feedback loops.

Previous studies (Topol, 2012; Greenhalgh et al., 2017; Hamine et al., 2015) emphasized the transformative potential of mobile and cloud-based technologies in improving outcomes of patients with chronic diseases. WHO (2023) notes that digital interventions could reduce up to 20% of preventable complications from NCDs globally.

Materials and Methods

A prospective observational study was conducted involving 300 patients aged 18 to 75 years with established NCDs: type 2 diabetes mellitus, ischemic heart disease, and bronchial asthma. Participants were recruited from three outpatient clinics in urban and semi-urban settings. Inclusion Criteria:


- Confirmed diagnosis for over 1 year;
- Willingness to use digital health tools;
- Access to smartphone and internet.

Exclusion Criteria:

- Cognitive impairment;
- Uncontrolled psychiatric disorders.

Study Duration: 12 months

Groups:



Pic.1

- Intervention group (n = 150): received devices (smartwatch, glucometer, BP monitor) and app access;



Volume 3, Issue 6, June - 2025

- Control group (n = 150): received traditional care with in-person visits.

Digital Tools Used:

- Symptom diary (mobile);
- Medication alerts;
- Video consultations via secure portal;
- Daily upload of metrics (e.g., PEF, HR, BP, glucose).

Data Collection Tools:

- Electronic Health Record (EHR) portal;
- Cloud data server (AWS Health);
- SPSS v27 for data analysis.

Statistical Analysis:

Chi-square test, ANOVA, and multivariate logistic regression were used. A p-value < 0.05 was considered significant.

ISSN (E): 2938-3811

Results

Table 1 presents demographic and baseline clinical characteristics.

Table 1. Baseline Characteristics of Study Participants

Parameter	IT Group (n=150)	Control Group (n=150)
Mean age (years)	54.8 ± 10.2	56.1 ± 9.7
Male, %	44%	47%
Mean HbA1c (%)	8.2 ± 1.1	8.3 ± 1.2
Mean BP (mmHg)	135/85	138/87
Asthma cases, n	42	40

Figure 1 demonstrates reduction in HbA1c and BP levels over 12 months.

Table 2. Clinical Outcomes After 12 Months

Indicator	IT Group	Control Group	p-value
HbA1c (%)	7.0 ± 0.9	7.9 ± 1.1	< 0.01
BP (mmHg)	127/78	134/84	< 0.01
Hospitalizations (per pt)	0.4 ± 0.2	0.7 ± 0.3	< 0.05
Adherence to therapy (%)	90	68	< 0.01
Patient satisfaction (1–5)	4.6 ± 0.3	3.2 ± 0.5	<0.01






Figure 2 shows improved adherence and patient satisfaction scores.

Digital Engagement:

Digital Engagement: Proportional Metrics Representation

ISSN (E): 2938-3811



Pic.2.

- Daily logins: median 5.2/week
- Data uploads: 92% patients ≥4x/week
- Video consults completed: 680

Discussion

The implementation of IT-based tools led to notable improvements in glycemic and blood pressure control. Enhanced adherence and satisfaction correlate with the intuitive app interface, real-time feedback, and provider-patient engagement. Patients felt empowered, especially those in remote areas.

Challenges:

- Digital literacy gaps in >60 age group;
- Need for family/caregiver training;
- Initial tech resistance in rural areas.

Opportunities:

- AI-assisted prediction of exacerbations;
- Integration with insurance/EMR systems;
- Scalable model for rural public health networks.





Conclusion

Digital health platforms represent a cost-effective, scalable approach for managing chronic NCDs. Their integration can improve outcomes, reduce hospitalizations, and enhance patient-centered care.

ISSN (E): 2938-3811

Future directions:

- Randomized controlled trials;
- Cultural adaptation of mobile interfaces;
- Expansion to oncology and nephrology populations.

References

- 1. WHO. Noncommunicable diseases: key facts. 2023.
- 2. Topol EJ. The creative destruction of medicine. Basic Books, 2012.
- 3. Zhang Y, et al. Telemedicine in the management of chronic diseases. J Telemed Telecare. 2020.
- 4. Greenhalgh T, et al. Digital health interventions for chronic conditions. BMJ. 2017.
- 5. Hamine S, et al. Mobile applications for self-management. Am J Public Health. 2015.
- 6. Bashi N, et al. Remote monitoring of chronic patients. PLoS One. 2020.
- 7. Bashshur RL, et al. Telemedicine and health care disparities. Telemed J E Health. 2016.
- 8. Lupton D. The quantified self. Polity Press, 2016.
- 9. Giansanti D. Cloud computing in e-health. Healthcare. 2021.
- 10. Mesko B, et al. Digital health in practice. Digital Health. 2018.

