

ISSN (E): 2938-3765

EXTRAPULMONAL MANIFESTATIONS OF COVID-19

Oblokulov Abdurashid Rakhimovich 1, Duysenova Gulzar Karlibaevna 2 Bukhara State Medical Institute named after Abu Ali ibn Sino1, Republican Hospital for Children's Infectious Diseases 2 obloqulov.abdurashid@bsmi.uz

Abstract

COVID-19, caused by SARS-CoV-2, is primarily known as a respiratory illness; however, it has been increasingly recognized as a multi-organ disease with significant extrapulmonary manifestations. The virus affects various organ systems, including the cardiovascular, neurological, gastrointestinal, renal, and hematological systems, leading to complications such as myocarditis, thromboembolic events, encephalopathy, acute kidney injury, and gastrointestinal disturbances. The pathophysiological mechanisms underlying these manifestations involve direct viral invasion, immune dysregulation, endothelial dysfunction, and hyperinflammation.

Keywords:Coronavirus infection, extrapulmonary manifestations, skin manifestations, erythematous rash.

INTRODUCTION

Clinical signs of coronavirus infection vary widely from asymptomatic manifestations to acute pneumonia with respiratory failure and even death [1-4]. In about 80% of people infected with coronavirus, the disease occurs in a mild or subclinical form, in 13-14% - in an acute form, and in 4-6% a critical form develops, which requires hospitalization in the intensive care unit [5-9].

In this article we will reveal several neurological manifestations in COVID. These include Guillain – Barré syndrome, viral encephalitis, toxic encephalopathy, acute necrotizing hemorrhagic encephalopathy, smell and taste disorders, stroke, and nonspecific neurological symptoms such as headache and dizziness [10-13]. Smell and taste disorders have been reported as symptoms of COVID-19. They can precede or occur in conjunction with other classic COVID-19 symptoms, or occur in isolation [14-18]. Several gastrointestinal symptoms have been reported in COVID-19 patients. These include anorexia, diarrhea, nausea, vomiting, and abdominal pain [19-25]. Skin rash was noted in 0.2% of patients with a confirmed diagnosis of COVID-19. It can occur at the first sign of illness or during a hospital stay [26-30].

Extrapulmonary and atypical manifestations of COVID-19 may be the only symptoms at the time of the first visit to the hospital. If they are missed by doctors, it can lead to incorrect or delayed diagnosis [31-35]. Therefore, information about these clinical characteristics of COVID-19 is important, as it helps to diagnose and isolate suspected patients at an early stage of the disease, which helps to contain nosocomial infection [36-39].

467 | Page



The aim of the study was to study the extra-respiratory manifestations of the new coronavirus infection (Covid-19).

Materials and Methods

This study was a single-center, retrospective cohort study. We included all patients with confirmed SARS-CoV-2 infection admitted to an infectious diseases hospital from March 21 to August 12, 2020 in Bukhara. Clinical data were obtained from electronic health records, including demographic data, medical history, signs and symptoms, and laboratory data at admission. All COVID-19 patients included in this study were diagnosed in accordance with the guidelines for the diagnosis and treatment of pneumonia caused by infection with the new corona virus. All patients had laboratory-confirmed infection with SARS-CoV-2 (real-time RT-PCR specific for SARS-CoV-2 was positive).

Result and Discussion

206 patients were under observation. Patients were divided into severe patients (n = 68, including 26 patients with severe cases at admission and 42 patients with moderate cases that became severe after admission) and patients with moderate forms (n = 138). Of these, 12 (8.6%) patients were hospitalized in the intensive care unit, 8 (3.8%) patients died, 185 (89.8%) patients were discharged by August 12, 2020.

The average age was 53 years, of 206 patients, 181 (88%) were men. The median time from symptom onset to hospitalization was 4-5 days, and the median time to diagnosis of severe illness was 6-7 days. The most frequent chronic diseases were: hypertension, in 26 patients (13.1%); cardiovascular diseases, in 25 (12.5%); uncomplicated diabetes, in 15 (7.3%); chronic obstructive pulmonary disease, in 13 patients (6.3%). The most common gastrointestinal symptoms in patients with COVID-19 were: anorexia in 178, sore throat in 115, diarrhea in 26, nausea in 28, vomiting in 12, and abdominal pain in 10. Neurological symptoms such as headache were recorded in 165, fatigue - in 154, dizziness - in 37, loss of taste - in 75, loss of smell - in 78, myalgia - in 72, confusion - in 35, convulsions - in 4. Ophthalmological manifestations were also recorded, such as conjunctivitis - in 48, lacrimation from the eyes - in 12 (Fig.).



Figure: Frequency of symptoms in patients with COVID-19 (%).



ISSN (E): 2938-3765

According to the results of the data obtained on 206 patients, it turned out that 45 patients (21.8%) had skin manifestations. In 18 patients, they manifested themselves in accompany by the manifestation of other symptoms, in 27 patients - after hospitalization. Among the skin manifestations prevailed: erythematous rash (in 24 patients), widespread urticaria (in 13 patients), as well as vesicles similar to rashes in chickenpox (in 8 patients).

Conclusions

Thus, the results of the study showed that in the examined patients, along with the typical signs of this disease, there were such extra-respiratory, as neurological, gastrointestinal and skin.

REFERENCES:

1. Huang C, Wang Y, Li X, Ren L, Zhao J, Hu Y, et al. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. Lancet 2020; 395:497–506.

2.Zhu N, Zhang D, Wang W, Li X, Yang B, Song J, et al. A novel coronavirus from patients with pneumonia in China, 2019. N Engl J Med 2020; 382:727-33.

3. Zhou P, Yang XL, Wang XG, Hu B, Zhang L, Zhang W, et al. A pneumonia outbreak associated with a new coronavirus of probable bat origin. Nature 2020; 579:270–3.

4.WHO. Coronavirus disease 2019 (COVID-19)—situation 2020. report—51. https://www.who.int/docs/default-source/coronaviruse/situation-reports/20200311-sitrep-51covid-19.pdf?sfvrsn=1ba62e57_10.

5.Li R, Pei S, Chen B, Song Y, Zhang T, Yang W, et al. Substantial undocumented infection facilitates the rapid dissemination of novel coronavirus (SARS-CoV-2). Science 202; 368 (6490):489–93.;

6. Oblokulov, A. R., Husenova, Z. Z., Ergashev, M. M. (2021). Procalcitonin as an indicator of antibacterial therapy in covid-19. Annals of the Romanian Society for Cell Biology, 5220-5224.

7. Shen Z, Xiao Y, Kang L, Ma W, Shi L, Zhang L, et al. Genomic diversity of SARS-CoV-2 in Coronavirus Disease 2019 patients. Clin Infect Dis 2020;71:713-20.

8. Elmurodova A. A. (2022). "Specific Features of the Hemostatic System in Covid-19". CENTRAL ASIAN JOURNAL OF MEDICAL AND NATURAL SCIENCES 3, 82-85.

9. Elmurodova A.A. (2023). Viral Hepatitis Delta: An Underestimated Threat. Texas Journal of Medical Science, 26, 1 - 3. Retrieved from https://zienjournals.com/index.php/tjms/article/view/4610

10. Oblokulov Abdurashid Rakhimovich Mukhammadieva Musharraf

Ibrokhimovna Sanokulova Sitora Avazovna Khadieva Dora Isakovna. (2023). CLINICAL AND LABORATORY FEATURES OF SPONTANEOUS BACTERIAL PERITONITIS IN PATIENTS WITH VIRAL LIVER CIRRHOSIS. Journal of Advanced Zoology, 44(S2), 3744-3750. Retrieved from http://www.jazindia.com/index.php/jaz/article/view/1716

11. Mukhammadieva M.I. (2022). Modern clinical and biochemical characteristics of liver cirrhosis patients of viral etiology with spontaneous bacterial peritonitis //Texas Journal of Medical Science. - 2022.- P. 86-90



ISSN (E): 2938-3765

13. Abdulloev Mukhriddin Ziyodulloevich. (2023). Modern Therapy of Viral Hepatitis. Texas Journal of Medical Science, 26, 66–69. Retrieved from https://www.zienjournals.com/index.php/tjms/article/view/4636

14. Mukhammadieva M.I. (2023). Вирус этиологияли жигар циррози беморларида спонтан бактериал перитонит билан асоратланишнинг профилактикаси ва давосини такомиллаштириш//Oriental Renaissance: Innovative, educational, natural and social sciences. - 2023.-P.947-953.

15. Oblokulov A.R., M.I.Mukhammadieva.(2022). Clinical and biochemical characteristics of liver cirrhosis patients of viral etiology with spontaneous bacterial peritonitis//Academicia Globe: Indersciense Research.-2022.- P. 210-216.

16. Khadieva Dora Isakovna. (2024). Diagnosis and Prediction of Liver Fibrosis in Chronic Viral Hepatitis C in Hiv-Infected. *International Journal of Integrative and Modern Medicine*, 2(6), 89–94. Retrieved from https://medicaljournals.eu/index.php/IJIMM/article/view/515

17.Sanokulova Sitora Avazovna. (2023). COVID-19 IN CHILDREN. Academia ScienceRepository,4(06),25–32.Retrievedfromhttps://academiascience.com/index.php/repo/article/view/843

18. Mukhammadieva Musharraf Ibrokhimovna. (2024). TREATMENT OF SPONTANEOUS BACTERIAL PERITONITIS COMPLICATED IN VIRUS ETIOLOGY LIVER CIRRHOSIS. *JOURNAL OF EDUCATION, ETHICS AND VALUE, 3*(6), 73–80. Retrieved from https://jeev.innovascience.uz/index.php/jeev/article/view/723

19. Sanokulova Sitora Avazovna. (2023). Factors of Development of Hepatorenal Syndrome in Patients with Liver Cirrhosis of Viral Etiology. Texas Journal of Medical Science, 26, 4–9. Retrieved from https://www.zienjournals.com/index.php/tjms/article/view/4611

20. Авазовна, С. С. . (2023). Факторы Развития Гепаторенального Синдрома У Больных
Циррозом Печени Вирусной Этиологии. AMALIY VA TIBBIYOT FANLARI ILMIY
JURNALI, 2(12), 1–8. Retrieved from
https://www.sciencebox.uz/index.php/amaltibbiyot/article/view/8673

21. Санокулова, Ситора Авазовна ОСОБЕННОСТИ ТЕЧЕНИЯ КОНТОГИОЗНЫХ ГЕЛЬМИНТОВ АССОЦИИРОВАННОГО С ЛЯМБЛИОЗОМ // ORIENSS. 2023. №2. URL: https://cyberleninka.ru/article/n/ocobennosti-techeniya-kontogioznyh-gelmintov-

assotsiirovannogo-s-lyambliozom (дата обращения: 12.12.2023).

22. Jalilova, A.S. (2022). THE SPREAD OF CIRRHOSIS OF THE LIVER BY ETIOLOGICAL FACTORS. Oriental renaissance: Innovative, educational, natural and social sciences, 2 (6), 253-257.\

29. A. A., E., A. S., D., & A., M. S. (2022). Modern Approaches to Treatment of Chronic Giardiasis. Central Asian Journal of Medical and Natural Science, 3(2), 102-105. Retrieved from https://www.cajmns.centralasianstudies.org/index.php/CAJMNS/article/view/631

23. Облокулов, А., & Мухаммадиева, М. (2022). КЛИНИКО-ЛАБОРАТОРНАЯ ХАРАКТЕРИСТИКА СПОНТАННОГО БАКТЕРИАЛЬНОГО ПЕРИТОНИТА ПРИ

470 | Page





ISSN (E): 2938-3765

ЦИРРОЗЕ ПЕЧЕНИ ВИРУСНОЙ ЭТИОЛОГИИИ. Журнал вестник врача, 1(3), 66–69. извлечено от https://inlibrary.uz/index.php/doctors_herald/article/view/2016

24. Oblokulova Z.I, Oblokulov A.R, & Jalilova A.S. (2022). Diagnostic Significance of Hepatic Fibrosis in Patients with Extrahepatic Chronic Viral Hepatitis C. Central Asian Journal of Medical and Natural Science, 3(3), 438-443. Retrieved from https://www.cajmns.centralasianstudies.org/index.php/CAJMNS/article/view/806

25. Aslonova.M.R. (2022). Determination of suicidality against the background of Parasitic Diseases in children // INTERNATIONAL JOURNAL OF PHILOSOPHICAL STUDIES AND SOCIAL SCIENCES. – 2022.- P. 9-12.

26. Jalilova, A. S. (2022). Approaches to Etiotropic Therapy of Covid-19 in Outpatient Patients. INTERNATIONAL JOURNAL OF HEALTH SYSTEMS AND MEDICAL SCIENCES, 1(1), 41-44.

27. Mukhtarova Sh.A. (2022) Age-related features of clinical manifestations of giardiasis // International journal of medical sciences and clinical research 2022;17-21.

28. Jalilova A.S. (2022). FEATURES OF CLINICAL MANIFESTATIONS OF CYTOMEGALOVIRUS INFECTION IN CHILDREN. International Journal of Medical Sciences And Clinical Research, 2(09), 12–16. https://doi.org/10.37547/ijmscr/Volume02Issue09-04

29. Raximovich, O. A., Sadilloyevna, J. A., Abdulloyevna, M. S., & Farxodovich, R. F. (2022). Microbiological Indicators of Patients with Confirmed Sars-Cov-2 - Infection. Central Asian Journal of Medical and Natural Science, 3(2), 289-294. https://doi.org/10.17605/OSF.IO/9CFP6 30. Жалилова А. С. Дилноза Саётовна Косимова. Клинико–Лабораторная Характеристика Пациентов С Covid-19 И Предиктор Антибактериальной Терапии //CENTRAL ASIAN JOURNAL OF MEDICAL AND NATURAL SCIENCES. – 2021. – C. 81-86.

31. Abdulloyevna, M. S. . (2023). Tez-Tez Kasal Bo'lgan Bolalarda O'tkir RespiratorKasalliklarning Klinik-Laboratoriya Xususiyatlari. AMALIY VA TIBBIYOT FANLARI ILMIYJURNALI,2(12),29–34.Retrievedhttps://sciencebox.uz/index.php/amaltibbiyot/article/view/8680

32. Muxtorova, S. A. (2022). Clinical and laboratoriya features of acute respiratory disease in frequently ill children. Web of scientist: International scientific research journal, 1026-1030.

33. Mukhtarova, S. H. (2022). A.(2022) AGE-RELATED FEATURES OF CLINICAL MANIFESTATIONS OF GIARDIASIS. INTERNATIONAL JOURNAL OF MEDICAL SCIENCES AND CLINICAL RESEARCH, 17-21.

34. Mukhtorova Shokhida Abdulloevna. (2023). Microbiological Indicators of Patients Infected with SarsCov-2. Texas Journal of Medical Science, 21, 41–45. Retrieved from https://www.zienjournals.com/index.php/tjms/article/view/4116

35. Mukhtorova Shokhida Abdulloevna. (2023). CYTOMEGALOVIRUS INFECTIONS IN CHILDREN WITH PRIMARY AND SECONDARY IMMUNE DEFICIENCIES. Academia Science Repository, 4(06), 23–28. Retrieved from http://academiascience.com/index.php/repo/article/view/832

36. Aslonova.M.R. (2023). VITAMIN DEFICIENCY CASES RESULTING FROM PARASITIC DISEASES // Galaxy International Interdisciplinary Research Journal.-2023.-P. 404-409



ISSN (E): 2938-3765

37. Mukhtorova Shokhida Abdulloevna. (2023). CHARACTERISTIC FEATURES OF THE COURSE OF CITOMEGALOVIRUS INFECTION IN CHILDREN. Galaxy International Interdisciplinary Research Journal, 11(4), 484–487. Retrieved from https://giirj.com/index.php/giirj/article/view/5150..

38.Raximovich, O. A., Sadilloyevna, J. A., Abdulloyevna, M. S., & Farxodovich, R. F. (2022). Microbiological Indicators of Patients with Confirmed Sars-Cov-2 - Infection. *Central Asian Journal of Medical and Natural Science*, *3*(2), 289-294. https://doi.org/10.17605/OSF.IO/9CFP6 39. Ш. A, M. (2023). Профилактика Сезонного Распространения Орви Среди Детей Раннего Возраста. AMALIY VA TIBBIYOT FANLARI ILMIY JURNALI, 2(12), 22–28. Retrieved from https://www.sciencebox.uz/index.php/amaltibbiyot/article/view/8678

472 | Page